MERCIAN

Specialists in Handbuilt Frames and Cycles where Craftsmanship and Quality count



1 Statement head Annother Desiry Distance Delerables consult assume Printelia i Simili Alcol Inilio Politica i Simili Alcol Inilio Politica i Simili Alcol Inilio Televisia i Inilio Ese (Inilio) I Inilio











Custom Built Frames for the enthusiast

Mercian Cycles have been hand building trames in Derby for over 50 years and our standards for accuracy in building and the finest finishes available are known by enthusiasts throughout the world. Our Company name Mercian can be traced back into history of bygone days—we are situated in the ancient Kingdom of Mercia—the capital being Repton—now a village a few miles south of Derby and famous for its public school. Naturally



the people of Mercial were called Mercians. Every Mercian frame is built from the world renowned Reynolds double butted tubing, and each frame is hand made one at a time by one craftsman. No factory production line methods are used and so each Mercian frame is consistent in quality and finish. Every tube used on the frame is hand mitred, so that the internal joints on each frame are a perfect fit.

Each frame is sprayed to customers choice and is then oven-baked to give






the most durable finish known. After hand lining and transfers, the frame is given a cost of clear varnish for a lasting finish.

Mercian frames can be finished in any colour from our range of over sixty colours – if your choice is not shown, then we can do almost any colour if a sample is supplied with the order bramel finishes can be had in almost any colour, but the other finishes can



only be in the colours shown. Polychromatic colours have a metallic effect and our flamboyant finishes are a translucent colour on top of a silver undercoat. Our Italian Pearl finishes have a metal flake effect and have to be seen in sunshine to appreciate the beautiful effect of this finish. Each frame is then checked before despatch and each Mercian craftsman is conscious of quality control, taking great pride in the frame we produce.





Our Audax Special mode has been specially designed for the Audax cyclist who rides Audax events at all distances. The frame is built with Reynolds '531' "Competition" tubing and has the latest short point Italian lugs with heart outouts. The frame is built with closer distances, allowing mudguards to be used with 39mm/49mm allen key brakes.

AUDAX MODEL SPECIFICATION

Reynolds '531' Double Butted "Competition" tubing

Size to order - 48cm to 68cm (centre B.B. to top of S/T)

72" head angle - 75" seat angle (48cm to 52cm)

72" head angle - 74" seat angle (53cm to 56cm)

73° head angle - 73° seat angle (57cm to 61cm).

73" head angle - 72" seat angle (62cm to 66cm)

270mm bottom bracket height

42mm fork rake (50mm on small frames)

420mm chainstays

12mm or 16mm diameter seat stays

Close clearance for 700C wheels and mudguards

Campagnolo ends and mudguard eyes

Campagnolo down tube lever bosses and tunnels under bottom bracket.

3 top tube cable guides on top of top tube

Bottle cage posses on down tube

Seat pillar size - 27.2mm (not included)

Optional Extra Braze-ons

See frame price list

Finish

Any colour of your choice, with lugs lined and Mercian transfers. Any additional bands, or overspray, charged extra.

Special Orders

Can be made to your own specification - see frame price list.





After many years of planning and testing, Mercian Cycles are now able to ofter one of the finest frames ever produced. The machines handling, workmanship, and finish are the finest available. The design is extremely responsive yet comfortable, making it suitable for racing as well as touring. The frame is of bronze welded construction throughout, thus enabling over sized double outled tubing to be used for added rigidity. Our tandem frames are all made by one of our top chaftships, and each frame is handmade to customer's own requirements.

DOUBLE DIAMOND TOURIST MODEL

Reynolds '531' Double Butted tubing

Frame sizes to order

Campagnolo ends

Clearance for 700C wheels and mudguards

Campagnolo down tube gear bosses

Campagnolo cable tunnels and cable eye on chainstay.

Top tube cable eyes for bare wire brake operation.

Cartilever brake pivots with centre oull bridge on seatstays.

No pump pegs (frame fit pump used)

Allen key seat lug poit fitting

Bottle cage bosses

Any additional brazings for hub or disc brake, dynamo, lamp boss, or carriers are extra as per price list.

Spat pillar siza - 27.00mm (not included)

Finish

Any colour of your choice with contrasting head and seat tube band, lugs lined and Mercian transfers.

Complete Machines

Complete machines are available to order – see price list for latest specification and details.





The Super Tourist Tandem is ideal for extended tours with heavy loads. This model has a bracing tube from the centre of the head through to the rear seat. tube with extra stays brazed onto the seat stays above the rear ends. This design is ideal for larger frame sizes for added rigidity, but is not practical on small frames as the head tube is not big enough for the extra bracing tube. On frames with different seat tube size, the top tubes are sloped in a direct line, as this design is more rigid. Customers should note that top tube measurements are incosured in a horizontal plane, as on a solo frame, and not along a sloping top. tube.

SUPER TOURIST MODEL

Reynolds '531' Double Butted Tubing Specification and prazings as on our Double Diamond Tourist Model.


Finish

Any culour of your choice with contrasting head and triple seat tube band, lugs lined and Mercian transfers.











In an age of mass-production, it is rather pleasing to find a frame with intricate hand out logwork as on our Vinctore touring model. Our craftsmen spend many hours outling and filling the Vinctore logs from blank logs, and the result is a distinctive frame that is not available from any other manufacturer in the world. Also available with long fancy spharpoints on bottom bracket as Vinctore Special – see price list for extra cost.

TOURING MODEL SPECIFICATION

Reynolds '531' Double Butted "Competition" tubing

Size to order - 48cm to 66cm (centre B.B. to top of S/T)

72° head angle - 75" seat angle (48cm to 52cm)

72" head angle - 74" seat angle (53cm to 55cm)

73° head angle - 73° seat angle (57cm to 61cm).

73" head angle - 72" seat angle (62cm to 66cm)

270mm bottom bracket height

48mm fork rake (54mm on small frames).

430mm chainstays

12mm or 16mm diameter seat stays with MERCIAN engraved at top

Clearance for 700C wheels and mudguards

Campagnolo ends and mudguard eyes

Campagnolo down tube lever bosses and tunnels under bottom bracket

3 top tube cable guides on top of top tube

Bottle cage bosses on down tube

Any additional braze-ons extra as price list

Seat pillar size - 27.2mm (not included).

Finish

Any colour of your choice with contrasting head and seat tube band, lugs lined, and Mercian transfers. Additional bands extra.

Special Orders

From our experience, the above specification suits most customers, but we can build this model to your own specification if required.






Our Professional model has a unique spearpoint bottom bracket shell that is rarely found on other makes of frames. The lung spearpoints are steel welded onto the bottom bracket shall before the frame is built, and this makes an extremely rigid frame, unlike other makes where a spearpoint is brazed on after the frame is made, and only has a cosmetic value. The frame is built with special hand filed. Prugnat Italian lugs.


Racing Model Specification

Specification and brazings as our Strada Speciale Model,



Long fancy spearpoints on Vincitore Vincitore head lugs Special







Recently introduced to the Meroian range for the rider who likes his frame to be lightened by drilling the lugs, but at the same time, requires a touch of individuality that other frames lack. All the long point lugs are hand out with a stylish clover leaf. The Strada Speciale also has the seat stays fitted to the rear of the seat tube and an allen key seat lug fitting is included.

BACING MODEL SPECIFICATION

Reynolds '531' Double Butted "Competition" tubing

Size to order - 48cm to 66cm (centre B.B. to top at S/T)

73" head angle - 75" seat angle (48cm to 55cm)

74" head angle - 74" seat angle (56cm to 66cm)

270mm bottom bracket height

32mm fork rake, 40mm on small frames, with new oval Continental forks

410mm chainstays

12mm or 16mm diameter seat stays

Close clearance for 700C wheels only - no mudguard eyes

Campagnolo Super Record ends

Campagnolo down tube lever bosses and tunnels under bottom bracket

3 top tube cable guides on top of top tube.

Bottle cage bosses on down tube

Any additional braze-ons extra as frame price list.


Seat pillar size - 27.2mm (not included)

Finish

Any colour of your choice with contrasting head and seat tube band, lugs lined and Mercian transfers. Additional bands or overspray extra.

Special Orders

From our experience, the above specification suits most customers, but we can build this model to your own specification if required.





Our Superlight model is built with hand out lugs, which are out away in a unique style. Every unnecessary part is out away from the lugs, which look barely enough to support the frame. The design makes a light and responsive racing frame. The model is built with the popular fastback seat stays for extra lightness, and an atten key seat lug is included on this model.

RACING MODEL SPECIFICATION

Specification and brazings as on our Strada Speciale Model.

Lighter Tubing

Roynolds (653) tubing is available at extra cost - see frame price list.





Clover leaf cutouts on the Strada Speciale



Hand out Superlight lugs





Our Pro Lugiess mode will appeal to the rider who requires an extremely responsive racing frame. This model is built with the lighter Reynolds '653' tubing and the lugiess style offers greater flexibility of design to the discerning rider. Another advantage of lugiess frames is that they are lighter, as conventional lugis are not required. Building lugious frames requires greater skills than lugged frames, and Mercian are well know for the high standard of bronze welding expertise. The forks have the Cinelli zero investment, cast fork grown and the overall smooth appearance of the Pro Lugless model is very appealing.

PRO LUGLESS MODEL SPECIFICATION

Reynolds '653' tubing

Size to order - 48cm to 64cm (centre B.B. to top of S/T)

73° head angle - 75° seat angle (48cm to 55cm)

74" head angle - 74° seat angle (56cm to 64cm)

270mm bottom bracket height.

32mm fork rake, 40mm on small frames, with Cinelli Aero fork crown

410mm chainstays

Fastback seat stays butted onto rear of seat tube.

Close clearance for 7000 wheels only

Campagnolo Super Record ends

Campagnolo down tube lever bosses and tunnels under bottom bracket

Bottle cage bosses on down tuber

3 top tube caple guides on top of top tube.

Any additional praze-ons extra as frame price list

Seat pillar size - 27,2mm (not included)

Finish

Any single colour of your choice with Mercian transfers.

Special Orders

From our experience, the above specification suits most customers, but we can build this model to your own specification if required.





The Low Profile model is the latest introduction to the Mercian range. The frame is built in lugless style from the lighter Reynolds '653' tubing and the aerodynamic style offers less wind resistance. The Ligless style, although more time consuming to build, has the advantages of greater flexibility of design, and therefore can be built to any size and specification. The frame is fitted with fastback seatstays for extra lightness, and the fork has the Cinelli Aero investment cast fork crown. The machine gives a fantastic ride and has to be ridden to be appreciated.

LOW PROFILE MODEL SPECIFICATION

Reynolds '553' Tubing

Built to each customer's individual specification only

Finish

Any single colour of your choice with Mercian transfers



Pro lugless head with Cinelli Aero Crown



Fastback seat stays on Low Profile





Our King of Mercia Tourist is the most popular model in our range of custom built touring frames. The frame is built with the Italian short point lugs, with heart cutouts, which are finely filed. The forks are built with the Romani semi-sloping fork crown, but a Cineli investment cast crown can be used at extra cost.

TOURING MODEL SPECIFICATION.

Reynolds '531' Double Butted "Competition" tubing

Size to order - 48cm to 66cm (centre B.B. to top of S/T)

72" head angle - 75" seat angle (48cm to 52cm)

72" head angle - 74" seat angle (53cm to 56cm)

73° head angle - 73° seat angle (57cm to 61cm)

73 head angle - 721 seat angle (62cm to 66cm)

270mm bottom bracket height

48mm fork rake (54mm on small frames)

430mm chainstays

12mm diameter or 16mm diameter seat stays with MERCIAN engraved at top.

Clearance for 700C wheels and mudguards

Campagnolo ends and mudguard eyes

Campagnolo down tube lever bosses and tunnels under bottom bracket

3 top tube cable guides on top of top tube.

Bottle cage posses on down tube

Any additional braze-ons extra as frame price list

Sest pillar size - 27.2mm (not included)

Finish

Any colour of your choice with contrasting head and seat tube band, lugs lined and Mercian transfers. Additional bands extra.

Special Orders

From our experience, the above specification suits most customers, but we can build this model to your own specification if required.






Our King of Mercia Racing model is designed for the racing enthusiast who must have the best. Each frame is hand built one at a time by one of our craftsmen, unlike many other makes of a similar price range which are 'production line made'. The forks are fitted with the Romani semi-sloping crown together with new continental oval fork blades. The seat stays have Mercian engraved on the top eye which is outlined in contrast.

RACING MODEL SPECIFICATION

Specification and brazings as on our Strada Speciale Model.

Lighter Tubing

Reynolds '653' tubing is available at extra cost - see frame price list.





Heart cutout lugs and Romani crown on King of Mercia



Mercian engraved seat stays on King of Mercia





Our Miss Mercian model is one of the few custom built ladies frames available today. The lugs for ladies frames of the quality that Mercian require are no longer available, so our craftsmen custom make the lugs for this frame. The price of this model reflects this extra care taken in building the frame, but the end result is a masterpiece not available from any other source.

TOURING MODEL SPECIFICATION

Revnoids '531' Double Butted "Competition" tubing

Size to order - 48cm to 66cm (centre B.B. to top of S/T)

72° head angle - 75° seat angle (48cm to 52cm)

72° head angle - 74° seat angle (53cm to 56cm).

73° head angle - 73° seat angle (57cm to 66cm)

270mm bottom bracket height

48mm fork rake (54mm on small frames).

430mm chainstays

12mm diameter or 16mm diameter seat stays with MERCIAN engraved at top

Clearance for 700C wheels and mudguards

Campagnolo ends and mudguard eyes

Campagnolo down tube lever bosses and tunnels under bottom bracket.

Bottle cage bosses on down tube

Brake cable eyes brazed on top of twin lateral stays for brake operation on twin lateral stay bridge

Pump pegs under twin lateral stays

Any additional braze-ons extra as frame price list

Seat pillar size - 27:2mm (not included)

ERRIGH

Any colour of your choice with contrasting head and seat tube band, lugs lined and Mercian transfers. Additional bands extra

Special Orders

From our experience, the above specification sults most customers, but we can build this model to your own specification if required.





Our Classic frame is a recent addition to the Mercian range. The frame and forks are built from the Reynolds '531' "Special Tourist" double butted tubing. The frame is built with Italian short point lugs and Campagnolo ends. The Classic is a lively touring frame and has the usual Mercian high quality workmanship not usually seen on frames of this price.

CLASSIC MODEL SPECIFICATION

Reynolds '531' Double Butted "Special Tourist" tubing

Size to order - 50cm to 66cm (centre B.B. to top of S/TI

72° head angle - 75° seat angle (50cm to 52cm)

72 head angle - 74" seat angle (53cm to 56cm).

73" nead angle - 73" sest angle (57cm to 61cm)

73° head angle - 72° seat angle (62cm to 66cm)

270mm bottom bracket height

48mm fork rake (54mm on small frames)

Semi wrapover seat stays

430mm chainstays

Campagnolo ends and mudguard eyes

Campagnolo down tube lever bosses and tunnels under bottom bracket

Bottle cage bosses on down tube

3 top tube cable guides on top of top tube

Clearance for 700C wheels and mudguards

Seat pillar size - 27.00mm (not included)

Optional Extra Braze-ons

See frame price list

Finish

Any colour of your choice with lugs lined and Mercian transfers, Additional bands extra

Special Orders

No alterations to the above specification can be accepted.



Mercian Frame Finishes

Please quote reference number and colour name when ordering



- Emerald Green Flamboyant
- Red Flamboyant
- 3 Gold Flamboyant
- 4 Dark Blue Flamboyant
- 5 Lime Green Flamboyant
- 8 Anguetil Blue Flamboyant
- 7 Ruby Flamboyant
- 8 Champagne Polychromatic
- 9 Purple Polychromatic
- 10 Gold Polychromatic
- 11 Coffee Bronze Polychromatic
- 12 Metallic Blue Polychromatic
- 13 Golden Bronze Polychromatic
- 14 Silver Polychromatic
- 15 Green Polychromatic
- 16 Blue Polychromatic
- 17 Lilac Polychromatic

- 18 Gunmetal Grey Polychromatic
- 19 Cream Enamel
- 20 Purple Enamel
- 21 Beige Enamel

- 22 White ename
- 23 Red Enamel
- 24 Light Blue Enamel
- 25 Black Enamel
- 26 Yellow Enamel
- 27 Orange Enamel
- 28 Royal Blue Ename!
- 29 Riviera Blue Enamel
- 30 Apple Green Enamel
- Canary Yellow Enamel . 31.
- 32 British Racing Green Enamel
- 33 Mauve Enamel
- 34 Butterscotch Enamel
- 35 Blanchi Blue Enamel
- 36 Pink Enamel
- 37 Kingfisher Blue Flamboyant
- 38 Purple Flamboyant
- 39 Rose Pearl
- 40 Chocolate Brown Enamel
- 41 French Blue Enamel
- 42 Maroon Enamel

- 43 Flame Red Pearl
- 44 Silver Pearl
- 45 Electric Blue Pearl
- 46 White Pearl
- 47 Turquoise Pearl
- 4B Lemon Pearl
- 49 Dusky Pink Pearl
- 50 Midnight Blue Pearl
- Moss Green Pearl
- 52 Tabacco Pearl
- 53 Mauve Pearl
- Purple Pearl
- 55 Magenta Flamboyant
- 56 Deep Plum Pearl
- 57 Beige Pearl
- 58 Blue Intenso Pearl
- 59 Champagne Pearl
- 60 Racing Green Pearl
- 61 Ice Blue Pearl
- 52 Leaf Green Pearl
- 63 Orange Pearl

MERCIAN CYCLES LIMITED

Company Regulation Substitute to the Company Regulation Substitute to Company Regulation Substitute Substitute

THE WORLD FAMOUS "MERCIAN" LIGHTWEIGHT BACING FRAMES AND CYCLES CEDENT DESPRIS

Telephone (01332)752468 Fax No: (01332)751033

Dear Customer,

Thank you for your enquiry received today and we are enclosing our latest catalogue and price lists for Mercian frames, cycles, and renovations. Mercian frames have been made in our own workshops in Derby for over fifty years and are well known for their accuracy in construction and quality in finish. We can re-enamel any make of frame and full details about our renovation service are shown in the enclosed leaflet.

Our delivery period for new frames is now 2 months with an extra month required for chrome plating. Personal callers are welcome to visit our showroom at Alvaston, where we have an extensive display of our frames and cycles. We also have a new clothing boutique which has an excellent choice of clothing and shoes. Our showroom at the address above is open from 9.00am to 5.30pm Monday to Friday; 9.00am - 5.00pm on Saturday; CLOSED ALL DAY WEDNESDAY AND SUNDAY.

Here our sales staff, who are active cyclists themselves, will be able to advise you of any technical points in the building of your new frame and we are sure that you will benefit from their experience.

If you wish to order your frame by post, it would assist us if you could fill in the enclosed Frame Specification Form. If you are unsure of some of the measurements or brazed on fittings, just write a few notes on the reverse of the order telling us the type of riding that you require the frame for and the type of equipment that you will be using. We shall require a minimum deposit of £100-00 with a frame order and a £100 deposit with a cycle order. The easiest way to pay for your frame is by Credit Card. We accept Visa and Mastercard—just quote your credit card number and card expiry date. We also accept payment by Sterling cheque—your bank will advise you of this.

For overseas customers, frames are sent by Air Parcel Post, and the cost of this including insurance is £30-00 per frame to Europe, £40-00 to Canada and the USA and £45-00 to Australia.

For the customer who is not able to wait our delivery period to have a frame made to order, we do have a selection of Classic, Audax, and King of Mercia frames in stock - please telephone our showroom on Derby 752468 for details.

We look forward to receiving your order, which will receive our personal attention, but should you require any further information do not hesitate to write again, or telephone us on Derby 752468 for any advice.

Yours faithfully,

MERCIAN CYCLES LIMITED

WE CAN RE CHROME AND RESPRAY YOUR FRAME AND THE PRICES ARE ON THE ENCLOSED PRICE LIST. FOR PAYMENT WE ACCEPT MASTERCARD OR VIS - PLEASE QUOTE CARD NUMBER AND EXPIRY DATE.

MERCIAN FRAME SPECIFICATION

Name	Date of Order
Address	Delivery Date
	Deposit Received
Frame No	Please deliver/Will collect
Model	Gear Lever Bosses
Lugs	Tunnels under/over B.B
Size	Lamp Boss
Top Tube	Brake Guides
Ends	Pump Peg on back of Head Tube
Angles	Centre Pull Brake Bridge
C/Stays	Bottle Cage Bosses
S/Stays	Blackburn Rear Rack Eyes
Fork Rake	Rear End width - 126mm/130mm/135mm
B.B. Height	Allen Key Brakes
A.K. Seat Lug	Cantilever Brake Pivots
Tyres - 700 x 20/700 x 25/700 x 28/700 x 32	Fit Head Set
Clearance for M/Guards - Yes/No	Fit BB Set
Brake Depth 39mm/49mm-47mm/57mm	
Fork Crown	
Chrome	
Main Finish	
S/T Bands	Head
	Extra Bands
	Transfers
Lugs Lined	
Customer's Signature	

FRAME ORDER ALTERATIONS: We are only able to accept alterations to orders until the frame is ready for building.

Once the frame is started, no alterations will be accepted.

MERCIAN FRAME ORDER

TYPE OF LUGS - ITALIAN HEART CUTOUTS (AS CATALOGUE), CAST SHORT POINT/CAST B.B; CAST LONG POINT/CAST B.B

IF YOU ARE USING SIDE PULL BRAKES, PLEASE CROSS OUT THE SECTION THAT IS NOT APPLICABLE AND RETURN WITH YOUR ORDER FORM.

- 1) 39MM/49MM (SHALLOW BRAKES) OR 47MM/57MM (DEEP BRAKES)
- 2) ALLEN KEY FITTING BRAKES OR NUTTED FITTING

PLEASE STATE TYRE SIZE NORMALLY USED - 700x23/700x25/700x28/700x32/700x35

PLEASE STATE REAR HUB WIDTH - 120MM/126MM/130MM/135MM/140MM

TYPE OF TUBING: 531ST, 531C, 531ATB, 653ATB, 653, 708, 73108, 753, 853, 8550S Quelle: Heinz Fingerhut, www.velo-classic.de | velopedia.online

Heral Sales and Shawroom 7 Shardlow Road, Alvaston, Derey, DE24 0JG Telephone (01332) 75246a Fax (01332) 751033 Office and Works. Pontetract Street, Aecot Drive. Derby, DE24 8JD. Telephone (01332) 346786 Fex (01332) 751033

MERCLAN TANDEM COLOR SIST - JULY 151, 1991

TOURIST TANDEM FRAME - SRIBLED - VAT

1989-17/INC.VATA

Dur tancers are built from Meynolds 531 oversize funing using bronze emices (ugless construction, and in the books Bronze design. This configuration gives a resource very rigid (name, adecuate for most touring needs. Soat tubes are heavy outy for 27.00 toot pillars. Cantilever brake brazings with strong tear brake hancer, mourporating an adjuster, prace cable stood and guides, two sets of bottle basses, and all pear prairings are included in the price, in the with an allow botton bracket essential. Rear end spaced at 140mm. Invished in any occour of your choice with contrasting head and seat tube bands. Lies lines and Kerclan brainiers. Any additional braze ons are extra as per price list. Head set of your choice is extra - see our head set price list.

SUPER TOURIST TAMBEY FRAME - 1925-10 - VAT

LICES-FOCING VALUE

Claimed to be eyen fore rigid than the Bouble Gramond. This model has a bracking tube from the centre of the mode through to the mean seat tube with extra stays prazed onto the seaf stays above the rear ends. This model is generally reconserved for expecition touring. Braze on fittings are as for the Dourist model. It is not practical to build this model in a smaller size than 22°.

DOUBLE MARATHON TANGEN FRAME - EDTH-DO . VAT

ETTAS-62LENG VATA

Similar to our Sizer Tourist Model. The cain difference is that the 20,000 tube from the need is praised to the rear bottom bracket shell and then a prace tube is brazed in from the front seat ing with extra stars onto the seat stays.

Gur 531 Tandens are recognised as the leading valities in the country and out specification has evolved from many years of tander fiding in many countries and over varying terrain. Contrary to various media ideas, from our dan experience we find that two Langagnoic cantilever prakes give accounts stooming power for light fouring. Our tances machines are designed on this basis. mowever, we do supply the rear whee, spaced at 100mm and threaded on the Lett ande to enable the fifting of a scree on Hope disc brake, Should you find it necessary for more braking power. Into certainly would be needed for heavier riders and also for expedition touring. If you'do require a third brake we recommend that it should be operated by an independent level. Using a twin brake lever only serves to reduce the stopping capacity of both brakes which it operates. This is the most likely reason behind the notive for fitting yet more praxes. The brazes on fittings to work a size brake are available gt extra cost. Unfortunately both the Hope Disc and the Arai Prum prake require rather more space than the Campagnolo cassette hut allows to: - those will only fit if a Hope tander casselle had is used in place of the original carpagectu.

Our preference is to supply top of the range machines of high quality and durability. However, we recognise a dexand for an account mechine and have selected components which we fewl should neet this depand with very little components.

TANDEM COMPONENT BRECIFICATION - SACHS/SUGING

Sugaro face processive prive transper. 170mm tranks with 46-36-20 trings. Spread cartridge Bhos botton prockets, sechs News front and real goars with index goar tupe synthers, hever speed sore on freewheel and sechs where, Spread 1055 Apra brake levers with DE UH LX lentilevers. ITM black tinings handledges, from stee, and seal posts. Santana tixed length states steet. Soils Italia another teether covered sandless. Alosa 9377 40 hold fine with home intradded real food for sures of freewheel. Built with 13 goage statiliess steel spokes, fitted with Pangrader Mesele lyres. Shimano PC AbbU bedsit with too cliss and straps. Stronglight R12 head set. Invisited with ESGE muoglards and tribe midden tape.

TANDEM COMPONENT SPECIFICATION - CAMPAGNOLUXTA

TA Sephyt prospect grive prantets, there of brank lengths and challwheel Sizes. Larpagneto Trent and rear gears with down tube index tevers. Cambagnete cartification graves with operate brake levers. Cambagnete rear casests hub incorporating heavy duty rear as a sery no front hubs available, we use Kanthuat. Aleas VDIT 40 hole rims. The guage staintakes above complete the wheels which are fitted with your choice of tytes. Set a listing enactions towards covered sadoles. ITM Pro diach limits handsupers, front steeling sest posts. Santans stoken stem. Sedio silver chain with Larpagneto baskette. Campagnets head wat and penals. Finished a tribbs in suggested, sory tape, Christophe towards and and are to stress. A jarge reduction in other can be achieved by substituting the TA Zephyr stankage for the Sugma, but note the last or choice in both thain ring sizes and trank tengths.

COMPLETE TAKOEN MALHONE PR	1083		PRICE INC. VAT
TOURIST SACHE/SUGING - (1670-30) VAT			£2902-21
SUPER TOURIST SAIMS/SUSING - E1770-DI - VOT ** **	(4)		£20/8+15
TOURIST TANDER CAMPAGNOLO/SUGING - \$1967-30 - CAD	**		4/2334+72
SUPER TOURTST CAMPAGNOLOYSUGING - EPORT-OD - WAT	** *		£2452-22
TOURIST TANDER CANPAGNOLD/TA ZERHYR - £2228-00 + VCC	** *	1.00	£2626-12
SUPER TOURIST CAMPAGNOLO/TA ZEPHYR - 22000-000 + VAD	120 2		1,5743-67

Lighter frames with 23mm tyres and tighter mudguard clearance, such as could be used for Audas events or for fact day mides and even for racing, and biso available. Frames built with Reymolds 653 or 853 are suitable for this way. Prices on application.

OFTIONAL EXTRAS

The state of the s	
Dist brake braze ons. Hope dist, throaded to fit	229-50 + VAI 230-86
Larpagnoto bub so so so so so so	
Disc brake praze ens. Hope disc splines to fit Hope hub	£29-50 + VAT £34-66
hub brake braze ons. Ara: to fit hope threaded hub (not	e
Will not fit tampagnote numb	£29-50 + VAT £34-66
Bottle cage bosses - per set	04-02 + VAT E9-40
Blackburn 4 point fixing rack bosses	CG-812 7AV + CC-911
Blackbarn front Lowelder or Custom Loarider rack bosses	F16 DE + VAI E18 83
Holes through frame for Sanya botton bracket dynams	
works (3 holes) +,, +,	£16-00 = VAT £18-80
Dynamo bracket prazec on	£18-71 - VAT £22-00
Arat drun brake unit to fit some on hope hus	547-51 + VA1 \$49-95
Hope disc prake unit splines or threaded	1127-68 + VAT E149-95
Straight upper to work eatra brake	ELD-TT + VAI ELB-DD
Brake cable for extra brake	Ei-LD + VAT E0-00
Extra for Hope hub in place of Campagnois (this would	
give the option to use Sachs & speed cassettes up	
to 32T, Campagnoto gear competible, but Shineso	
aprinedly	£12-77 + VAT £15-00

Retail Sales and Showroom 7 Shardlow Road, Alvaston, Derby, DE24 OJG Telephone (01332) 752455 Fax (01332) 751033 Office and Works
Pontetract Street, Ascot Drive,
Derby, DE24 8JD.
Telephone (01332) 346766
Fax (01332) 751033

PRICE LIST FOR COMPLETE MACHINES - MARCH 1ST 1998

CLASSIC TOUR 98 - 2699-32 + VAT

EY70-GB (CNC VAT)

The Mercian Classic is a lively and responsive touring sachine built from Reynolds 531 double butted. Special Tourist tubing using Campagnolo ends with whose alignment adjusters. The frame used for this consider machine has the following brazed on firthings: Rear pannier rack eyes; I set of bottle tage bosses on the dewn tube; double sown tube goar lever bosses; cable tunnels under the bottle pracket; chairman item items, three braket cable guides along the top tube. The design gives good blearance for 700c wheels and tyres.

COMPONENT SPECIFICATION: Mainly Shinane equipment. BSX triple chainset 46-50-26; UNDS cartriage botton bracket, RSX tong arm roam goar with RXTUE down tube index. I spect Levers; RXTUO Dual Privat praces with RSX brake Levers; RGZC cassette and thain; choice of 13 to 30 or 12 to 26 teath; FBM50L popular with the rips and straps; STX cartriage beening need set; ITM seat bost, handlebars and sten, Setle Italia Anatomic Leather covered touring saddle, Mayor T21/ silver timish rims built with DI ingularness steel spokes with Sachs Lentera 7 speed cassette hobs with Microbian Tracer tyres; ESGE sudguards with Sect timps are fitted; tork tape; supplied with a Nimpo pennier rack and bottle cage. Option of RSX STI geer shifters.

This component package should patisfy the demands of even the most argent tourist and provide long hours of trouble free cycling.

The trace is Tinished in Rading Broom Pearl, lugs picket out in solver and fitted with diliver Mercian transfers.

Sizes available: 19%", 20%", 21%", 22%", 23%", 24%"

At the Marcian Classic cycle is very competitively priced we will not accept any changes to the specification other than detailed below:

KING OF MERCIA TOUR - SHIMAND - #848-96 + VAT

£997-50 (INC. VATE

The King of Mercia touring machine is custon sace to your own personal requirements and is designed for the serious tourist who is seeking a lively and responsive machine. The frame is built to your measurements and geometry, with braze-one to suit the components. Our Shimmano specification machine has good quality equipment at a realistic price. The Shimmano RXIQU Dual Pluot brakes provide wery impressive stopping power, and we have even used these brakes on our tandeds in hilly terrain with no problems?

COMPONENT SPECIFICATION: Shinage LX front and rear gears; 46-36-26 chainset with 13 to dot cassotte; Parallax & speec nubs like his barrel is wider to give acced wheel stiffness and with 135mm rear and space - the wheel is almost disbless; MX100 down tube index gear levers; MX100 down tube index gear levers; MX100 down tube index gear levers; MX100 down five instance and seat post. Saddle in Selia Italia anatomic leather covered - lacy or gents; wheel rims are Mayor 1217 with Michelin Tracer Kevlar tyres; bottom bracket is a member unit; headset has cartridge bearings to keep samitalmance to a minus. ESGE chromoplastic mudgueros with stabilless steel littings and stays. As with the tempagnolo cycle specification, the Trane includes 1 set Dottle tage bosses and rear rack eyes. Bottle tage and rack extra to choice.

Rotal Sales and Showgom 7 Shardlow Road, Alwaston, Derby, DE24 0JB Telephone (01332) 752468 Fax (01332) 751033 Office and Walks
Pontetract Street, Asoot Drive,
Derby, DE24 8JD,
Telephone (01332) 346765
Fax (01332) 751033

COMPLETE MACHINES (CONTINUES)

KINS OF MERCIA TOUR - EAMPAGNOLO 98 - £1302413 + VATI

£1530-DD (INC WATE

The King of Mercia Couring technic is custom made to your personal (equirabents and is designed for the serious couried who is seeking a lively and responsive mathire. The frame is built to your our reasonments and secondary, with prozecons to suit the components. Our Lampagnois specification retrieve is designed for expedition touring, and we have chosen the components with uttoo care, using Lampagnois where possible and practical. The reliability and durability of Lampagnois conscious to Legendary.

COMPONENT SPECIFICATION: Cambagnous increas 9 speed Ergo power prake/goon towers with resing 1 triple front changer who tump err new peer mechanism, thorus 36 hole hubs; 13 to 20; cassette with a TA Zephyr triple transpet usually 46 x 36 x 26; and 170ms transs. There is a choice of crank longth and the bring sizes. The transmission is completed with TA Techno cartridge potton brocket. TA scaled bearing addits with Christophe too clips and attacks. Positive braking with Shirano RAIDS prakes giving adequate treatmoster 700 x 32 tyres. ITM Pro black timish handlebars, sten and seat post. Sella Italia anatonic leather covered saddle. Michelin insert Keviar Lyres. ESGS modelers. Mavic T217 silver finish rins with DT stainless stee, spokes. The typic is finished with Cork Labe to choice. Blackburn 4 boint pannier hads and milliver bottle dage are fitted.

OPTIONAL EXTRA BRAZE-ONS - KING OF MERCIA TOUR CVAT EXTRAIL

fixtrs bottle bosses	** *			44.			4.2	£8-00
Lowrider front rack eyes ()	point	fixing)			**	4.	22	£16-00
Chain peg on seat stay		1 120	2.87	22	7220	22	22	£4-00
Brazzo en synamo bracket			10	**	**		17	£18+75
Conceated brake cable in co	nnuit	in con t	ube	1.1	4.1		**	TSS-00
Conceated synamc wiring in	Trane	122	***	55	335	**	0	£16-00
Sear lever boss on rear of	seat to	the tron	bost	on or	acket	оупа	no.	100000
control			1.0	4.4	5.9.95		4.5	£7+00

Rosal Salos and Storencom 7 Shardlow Road, Alvastan, Derby, DE24 0JG Telephone (01332) 752468 Fax (01332) 751033

Office and Works
Pontetract Street, Assot Drive,
Derby, D£24 8JD,
Telephone (01332) 346786
Fax (01332) 751033

XERCIAN 16531 PRO LUGLESS

we are now able to offer the Monoton Pro Lugless model in the rev Reynolds '853' tubing. Into it wouther directly product from Reynolds and is Lighted to take the rost rigid (namese) evaluable.

The same advantage of Roynolds '853' tubing is its ability to air harder after the tube jointing process. This unique air narcening property of Roynolds '852' provides additional stiffness at the joints, giving a stiffer frame with excellent fatigue strength and responsiveness. An apprison advantage of '823' tubing is that as the tube surface is so hard, ninor denting catage caused by surface impact is teduced.

'853' Pro Lugless Model Specification.

Reynolds *853* tutring
Size to order - Acry to 64ch (centre bottox bracket to top of seat tube)
73 head angle - 73 seat angle (46ch to 55ch)
74 head angle - 74 seat angle (56ch to 55ch)
74 head angle - 74 seat angle (56ch to 64ch)
2/Ush bottox bracket height
2/Ush bottox bracket height
4/Ush chainstays
featback seat stays butted onto rear of seat tube
close clearance for 700c wheels only
caspagnato Siper Record ends
caspagnato Siper Record ends
caspagnato Siper Record ends
caspagnato Siper Record ends
caspagnato Siper Second ends
ca

Finnan

Any single colour of your choice with Mercian transfers.

Special Orders

From our experience, the above specification will suit Wost riders, out we can also build this model to your own specification.

test Lugs. Bettow Bracket and Crown

The frame can also be built with cast lugs (short or long noint), cast botton pracket shell and last fork crown, at no extra cost

'853' PRO LUGLESS PRICE £495-00 + val